

BUREAU VERITAS REFERENCE : 24006840

REPORT OF : BULLION AUDIT

CLIENT : AMUNDI PHYSICAL METALS PLC

ACCOUNT NAME : AMUNDI PHYSICAL METALS PLC FOR AMUNDI PHYSICAL GOLD ETC

MATERIAL : GOLD BARS

ACCOUNT NUMBER : 3782

CUSTODIAN AND LOCATION : HSBC BANK PLC., LONDON

This is to certify that in connection with the above account, we have represented the client, followed the agreed procedures, and report the following:

AUDIT REFERENCE DATE : 18<sup>th</sup> October 2024 AUDIT COMMENCEMENT DATE : 21<sup>st</sup> October 2024 AUDIT COMPLETION DATE : 23<sup>RD</sup> October 2024

#### **Summary**

The table below sets out the results for the audit of gold bars in the vault as at the Audit Reference Date:

	Number of Bars		Fine weight		_
ADVISED		4661		1,878,221.990	Tr. oz
FOUND		4661		1,878,221.990	Tr. oz
VARIANCE		-		-	Tr. oz

### **Material Description**

All bars were deemed to be London Good Delivery Gold Bars.

# **Audit Procedures**

- 1. Compared the records of the Custodian to the records provided by the Administrator to verify that the gold bars are held in the name of the applicable account.
- 2. Reconciled the total weight of gold bullion as recorded by the Administrator to the records of the Custodian as at the Audit Reference Date.
- 3. Visually checked each bar for the bar number, brand and purity.

T: +44 (0) 1376 536800

4. Weighed a random sample of gold bars, equating to approximately 2.5 percent of the bar list. Bars were weighed in troy ounces to the nearest thousandth of an ounce. Details of each bar weighed were recorded.

UK



5. Reconciled the physical movement of bars which occurred during the inspection period between the Audit Reference Date and the Audit Completion Date.

# **Non-Conformities**

There were no administrative non-conformities identified in respect of the gold bars during the audit.

There were no physical non-conformities identified in respect of the gold bars during the audit.

#### **Remarks**

The weight scales were provided by HSBC Bank plc, London. Calibration date below is external check date. Scales were calibrated with standard weights prior to weighing.

### Scales used:

Scale Details: Sartorius
 Model: MCA142025
 SN: 43303875
 Cert N: 506J6714
 Cal Date: 20/06/2024
 Cal Due: Nov-2024

The audit was carried out to the best of our knowledge and this report reflects our findings as at the time and place of the audit only.

For and on behalf of,
BUREAU VERITAS COMMODITIES UK LTD

